




8. CADDY® CABLECAT RANGE





CAT 12-21-32-64

					
CAT 12	181100	19	1	50	220
CAT 21	181110	33	1	80	220
CAT 32	181120	50	1	60	220
CAT64	181050	100	1	20	900

 p. 182-183



A = 1,20 - 1,50 m
B < 300 mm



CAT TRC

			
CAT TRC	181230	11	100



CAT TRMF




			
CAT TRMF 6 x 10 mm	181980	1	100
CAT TRMF 6 x 16 mm	181990	1	100



CAT 425

		ØA mm	ØB mm			
CAT 425	181130	7	100/150	1	10	450








 p. 182-183



CAT 425 WM

		ØA mm	ØB mm			
CAT 425WM	181880	7	100/150	1	10	450


 p. 182-183



CAT PLR

				
CAT32PLR	182280	1	10	900
CAT64PLR	181055	1	10	900

 p. 182-183




CAT 600

			
CAT600R	181930	1	2
CAT600WM	181940	1	2

 p. 182-183

CAT600R

CAT600WN





CADDY® CAT TRAX

		Ø mm	L mm			
CADDY CAT TRAX 25	182300	10,5	7600	1	1	900



p. 182-183



CADDY® CAT CM

		N°		
CAT100CM	181976	1	1	20
CAT200CM	181981	2	1	10
CAT200CMLN	181982	2	1	10
CAT300CM	181983	2	1	10
CAT300CMLN	181984	2	1	10
CATTBCM	181987	3	1	30
CATRL200CM	181988	4	1	10
CATRL300CM	181989	4	1	10
CATRT200CM	181991	5	1	50
CATRT300CM	181992	5	1	50
CATWMCM	181994	6	1	10

